

More Stability AND More Options

Because of our proprietary process and the structural stability of our tanks, our tanks can accommodate more options for fittings and accessories than other plastic tanks.

Tank Options:

- Fiberglass or Steel OSHA compliant ladder with or without safety cage
- Fiberglass or Steel handrail with kick plate
- Inspection Ring
- Mixer Mount (Poly or Steel): No need for external support
- Immersion Heater or Heating Coil
- Tie Downs (Engineered stamp calculations available)
- Lighting Protection
- Insulation system
- Side and Top Manway
- Catwalks
- Level Control Gauges
- Venting

VERTICAL TANK SIZES

50 - 50,000 GALLONS TANK HEIGHT UP TO 50 FT

HORIZONTAL TANK SIZES

UP TO 20,000 GALLONS





Custom-Engineered Storage

Houston PolyTank, LLC Storage Tanks are engineered to

withstand the most challenging of storage situations and can replace Steel, Stainless Steel, Fiberglass and Roto-Molded plastic tanks. Made of either HIGH DENSITY LINEAR POLYETHYLENE (for applications

up to 120°F) or POLYPROPYLENE

(for high temperature applications

180°F- 200°F)

Our designs are custom-engineered and take into consideration:

- Chemical Compatibility
- Working Temperature
- Specific Gravity
- Size


With wall thicknesses between ½" to 6", our extrusion wound tanks are proven to be excellent for aggressive chemical storage, process tanks and reactors used in many industries:

- Chemical
- Oil & Natural Gas
- Mining
- Agriculture
- Water Treatment
- Pharmaceuticals
- Steel
- Energy
- Petroleum
- Alternative Energy
- Municipalities
- · Food

Design Options Available:








Double Wall





SHIPS EVERYWHERE IN NORTH AMERICA!



GERMAN ENGINEERED. AMERICAN MADE.

Houston PolyTank, LLC formed in 2010 to be the sole manufacturer of large extrusion wound tanks in the United States. These high performance tanks meet the more stringent German DVS 2205 Standard.

Perfect for Challenging Solutions

Our tanks are the perfect solution for storing even the strongest, hardest-to-contain chemical like sulfuric acid, hydrochloric acid, nitric acid and sodium hypochlorite.

Structurally Sound

Our tanks are the high performance alternative to Carbon Steel, Stainless Steel, Fiberglass and Rotationally Molded plastic tanks.

Longer Lasting

With wall thicknesses up to 6 inches thick, these sturdy tanks don't bulge, buckle, oxidize, or corrode as other tanks can.

Virtually Maintenance Free

Because the tank color is an additive to the plastic itself, there is never a need to sand blast or repaint.



Call Today for A Free Quote!

Get peace of mind and save money with Houston PolyTank. We'll custom-engineer a long-lasting tank that won't bulge, buckle, oxidize or corrode. Give us a call today!

Email: sales@houstonpolytank.com

Phone: (660) 778-3393

Fax: (660) 778-3446

Toll-Free: (800) 852-8265

208 Craig St

Hopkins, MO 64461